


Formiko Hydraulics

FHR 4.500SF



TECHNICAL DATA:

Rotation	Unlimited
Max axial load static, kN	45
Max axial load dynamic, kN	25
Torque at 25 MPa, Nm	1200
Rec oilflow, l/min	20
Weight, kg	29

MAXIMAL WORKING PRESSURE:

R - Rotator	Max. 250 bar	G 3/8"
> < - Grapple/Tool close	Max. 300 bar	G 3/8"
< > - Grapple/Tool open	Max. 200 bar	G 3/8"

CONNECTION:

16.01.2020




FORMIKO
HYDRAULICS

Formiko Hydraulics
Dzirčiema str. 119 k - 1
Rīga, LV - 1055
LATVIA

phone: +371 29 449 552
e - mail: sales@formiko.lv
www.formiko.lv

Formiko Hydraulics

FHR 4.500SF



16.01.2020



FORMIKO
HYDRAULICS

Formiko Hydraulics
Dzirčiema str. 119 k - 1
Rīga, LV - 1055
LATVIA

phone: +371 29 449 552
e - mail: sales@formiko.lv
www.formiko.lv

Formiko Hydraulics

FHR 4.500SF

List of parts

Pos.	Part	Title	Quantity	Notes
1	FHR 4.001	Connector	1	
2	FHR 4.002	Tube	1	
3	FHR 4.503.01	Plate	1	
4	FHR 4.504.01	Hose Guard	1	
5	FHR 4.005SF	Shaft	1	
6	FHR 4.506.01	Vane	4	
7	FHR 6.007	Spring	12	
8	FHR 4.508.01	Shim	1	
9	FHR 4.010S	Flange	1	
10	FHR 101.04	Bearing	1	
11	FHR 201.03	Screw	1	
12	FHR 201.07	Screw	4	
13	FHR 201.13	Screw	8	
14	FHR 201.16	Screw	1	
15	FHR 202.03	Washer	2	
16	FHR 202.06	Spring washer	4	
17	FHR 204.05	Tap	1	
18	FHR 301.04	O - Ring	2	
19	FHR 301.05	O - Ring	1	
20	FHR 301.13	O - Ring	1	
21	FHR 302.04	Glide ring	2	
22	FHR 302.06	Seal	1	
23	FHR 303.02	Bonded seal	6	
24	FHR 304.02	Plug	2	
25	FHR 401.03	Nipple	6	
26	FHR 403.01	Grease nipple	1	

16.01.2020



FORMIKO
HYDRAULICS

Formiko Hydraulics
Dzirčiema str. 119 k - 1
Rīga, LV - 1055
LATVIA

phone: +371 29 449 552
e - mail: sales@formiko.lv
www.formiko.lv