





Formiko Hydraulics

FHR 5.500F6



VIEW A



TECHNICAL DATA:

Rotation	Unlimited
Max axial load dynamic, kN	55
Max axial load static, kN	30
Tourque at 25 MPa, Nm	1300
Rec oilflow, l/min	20
Weight, kg	36

MAXIMAL WORKING PRESSURE:

R - Rotator	Max. 250 bar	G 3/8"
> < - Grapple/Tool close	Max. 300 bar	G 3/8"
< > - Grapple/Tool open	Max. 200 bar	G 3/8"

CONNECTION:




FORMIKO
HYDRAULICS

Formiko Hydraulics
Dzirčiema str. 119 k. 1
Rīga, LV - 1055
LATVIA

phone: +371 29 449 552
e-mail: sales@formiko.lv
www.formiko.lv

Formiko Hydraulics

FHR 5.500F6



FORMIKO
HYDRAULICS

Formiko Hydraulics
Dzirclēma str. 119 k - 1
Rīga, LV - 1055
LATVIA

phone: +371 29 449 552
e - mail: sales@formiko.lv
www.formiko.lv

Formiko Hydraulics

FHR 5.500F6

List of parts

Pos.	Part	Title	Quantity	Notes
1	FHR 4.501.01-2	Connector	1	
2	FHR 4.502.01	Tube	1	
3	FHR 4.503.01-68	Plate	1	
4	FHR 4.504.01	Guard	1	
5	FHR 5.505.01-F6	Shaft	1	
6	FHR 4.506.01	Vane	6	
7	FHR 6.007	Spring	18	
8	FHR 5.508.01	Shim	1	
9	FHR 4.509.01	Space plate	1	
10	FHR 5.510.01-F6	Flange	1	
11	FHR 6.011.01	Wedge	1	
12	FHR 6.012.01	Stopper	1	
13	FHR 101.05	Bearing	1	
14	FHR 201.03	Screw	2	
15	FHR 201.07	Screw	4	
16	FHR 201.12	Screw	8	
17	FHR 202.02	Disc spring	3	
18	FHR 202.03	Washer	2	
19	FHR 202.06	Spring washer	4	
20	FHR 204.05	Tap	4	
21	FHR 301.04	O - ring	3	
22	FHR 301.06	O - ring	1	
23	FHR 302.04	Glide ring	2	
24	FHR 302.11	Seal	1	
25	FHR 303.01	Bonded seal	4	
26	FHR 303.02	Bonded seal	6	
27	FHR 304.01	Plug	2	
28	FHR 304.02	Plug	2	
29	FHR 401.02	Nipple	2	
30	FHR 401.03	Nipple	6	
31	FHR 402.01	Nipple	2	
32	FHR 403.01	Grease nipple	1	



FORMIKO
HYDRAULICS

Formiko Hydraulics
Dzirčiema str. 119 k. - 1
Rīga, LV - 1055
LATVIA

phone: +371 29 449 552
e - mail: sales@formiko.lv
www.formiko.lv